

Package ‘LRTesteR’

October 2, 2023

Title Likelihood Ratio Tests and Confidence Intervals

Version 1.1.1

Author Greg McMahan

Maintainer Greg McMahan <gmcmacran@gmail.com>

Description A collection of hypothesis tests and confidence intervals based on the likelihood ratio
<https://en.wikipedia.org/wiki/Likelihood-ratio_test>.

License GPL-3

Encoding UTF-8

Imports stats, rlang, statmod

RoxygenNote 7.2.3

Suggests covr, EnvStats, testthat, lmtest, knitr, rmarkdown, emplik,
emplik2, datasets

VignetteBuilder knitr

NeedsCompilation no

Repository CRAN

Date/Publication 2023-10-02 03:40:02 UTC

R topics documented:

beta_shape1_one_sample	2
beta_shape1_one_way	3
beta_shape2_one_sample	4
beta_shape2_one_way	5
binomial_p_one_sample	6
binomial_p_one_way	7
cauchy_location_one_sample	8
cauchy_location_one_way	9
cauchy_scale_one_sample	10
cauchy_scale_one_way	11
empirical_mu_one_sample	12
empirical_mu_one_way	13

empirical_quantile_one_sample	14
empirical_quantile_one_way	15
exponential_rate_one_sample	16
exponential_rate_one_way	17
gamma_rate_one_sample	18
gamma_rate_one_way	19
gamma_scale_one_sample	20
gamma_scale_one_way	21
gamma_shape_one_sample	22
gamma_shape_one_way	23
gaussian_mu_one_sample	24
gaussian_mu_one_way	25
gaussian_variance_one_sample	26
gaussian_variance_one_way	28
inverse_gaussian_dispersion_one_sample	29
inverse_gaussian_dispersion_one_way	30
inverse_gaussian_mu_one_sample	31
inverse_gaussian_mu_one_way	32
inverse_gaussian_shape_one_sample	34
inverse_gaussian_shape_one_way	35
negative_binomial_p_one_sample	36
negative_binomial_p_one_way	37
poisson_lambda_one_sample	38
poisson_lambda_one_way	39
print.lrttest	40

Index**42**

beta_shape1_one_sample*Test the shape1 parameter of a beta distribution.*

Description

Test the shape1 parameter of a beta distribution.

Usage`beta_shape1_one_sample(x, shape1, alternative = "two.sided", conf.level = 0.95)`**Arguments**

- `x` a numeric vector of at least 50 data values.
- `shape1` a number indicating the tested value of the shape1 parameter.
- `alternative` a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less".
- `conf.level` confidence level of the likelihood interval.

Value

An S3 class containing the test statistic, p value, likelihood based confidence interval, and alternative hypothesis.

Source

- https://en.wikipedia.org/wiki/Likelihood-ratio_test
- Yudi Pawitan. In All Likelihood. Oxford University Press.
- Hogg, McKean, and Craig. Introduction to Mathematical Statistics. Pearson.

Examples

```
library(LRTesteR)

# Null is true
set.seed(1)
x <- rbeta(100, shape1 = 1, shape2 = 2)
beta_shape1_one_sample(x, 1, "two.sided")

# Null is false
set.seed(1)
x <- rbeta(100, shape1 = 3, shape2 = 2)
beta_shape1_one_sample(x, 1, "greater")
```

beta_shape1_one_way *Test the equality of shape 1 parameters of beta distributions.*

Description

Test the equality of shape 1 parameters of beta distributions.

Usage

```
beta_shape1_one_way(x, fctr, conf.level = 0.95)
```

Arguments

- | | |
|-------------------------|---|
| <code>x</code> | a numeric vector of at least 50 data values per group. |
| <code>fctr</code> | a factor vector indicating groups. |
| <code>conf.level</code> | overall confidence level of the likelihood intervals. Uses Bonferroni correction. |

Details

- Null: All shape1s are equal. ($\text{shape1_1} = \text{shape1_2} \dots \text{shape1_k}$).
- Alternative: At least one shape1 is not equal.

Value

An S3 class containing the test statistic, p value, list of likelihood based confidence intervals, overall confidence level, individual confidence level of each interval and alternative hypothesis.

Source

- https://en.wikipedia.org/wiki/Likelihood-ratio_test
- Yudi Pawitan. In All Likelihood. Oxford University Press.
- Hogg, McKean, and Craig. Introduction to Mathematical Statistics. Pearson.

Examples

```
library(LRTesteR)

# Null is true
set.seed(1)
x <- rbeta(150, 1, 2)
fctr <- c(rep(1, 50), rep(2, 50), rep(3, 50))
fctr <- factor(fctr, levels = c("1", "2", "3"))
beta_shape1_one_way(x, fctr, .95)

# Null is false
set.seed(1)
x <- c(rbeta(50, 1, 2), rbeta(50, 2, 2), rbeta(50, 3, 2))
fctr <- c(rep(1, 50), rep(2, 50), rep(3, 50))
fctr <- factor(fctr, levels = c("1", "2", "3"))
beta_shape1_one_way(x, fctr, .95)
```

beta_shape2_one_sample

Test the shape2 parameter of a beta distribution.

Description

Test the shape2 parameter of a beta distribution.

Usage

```
beta_shape2_one_sample(x, shape2, alternative = "two.sided", conf.level = 0.95)
```

Arguments

x	a numeric vector of at least 50 data values.
shape2	a number indicating the tested value of the shape2 parameter.
alternative	a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less".
conf.level	confidence level of the likelihood interval.

Value

An S3 class containing the test statistic, p value, likelihood based confidence interval, and alternative hypothesis.

Source

- https://en.wikipedia.org/wiki/Likelihood-ratio_test
- Yudi Pawitan. In All Likelihood. Oxford University Press.
- Hogg, McKean, and Craig. Introduction to Mathematical Statistics. Pearson.

Examples

```
library(LRTesteR)

# Null is true
set.seed(1)
x <- rbeta(100, shape1 = 1, shape2 = 1)
beta_shape2_one_sample(x, 1, "two.sided")

# Null is false
set.seed(1)
x <- rbeta(100, shape1 = 1, shape2 = 3)
beta_shape2_one_sample(x, 1, "greater")
```

beta_shape2_one_way *Test the equality of shape 2 parameters of beta distributions.*

Description

Test the equality of shape 2 parameters of beta distributions.

Usage

```
beta_shape2_one_way(x, fctr, conf.level = 0.95)
```

Arguments

- | | |
|-------------------------|---|
| <code>x</code> | a numeric vector of at least 50 data values per group. |
| <code>fctr</code> | a factor vector indicating groups. |
| <code>conf.level</code> | overall confidence level of the likelihood intervals. Uses Bonferroni correction. |

Details

- Null: All shape2s are equal. ($\text{shape2_1} = \text{shape2_2} \dots \text{shape2_k}$).
- Alternative: At least one shape2 is not equal.

Value

An S3 class containing the test statistic, p value, list of likelihood based confidence intervals, overall confidence level, individual confidence level of each interval and alternative hypothesis.

Source

- https://en.wikipedia.org/wiki/Likelihood-ratio_test
- Yudi Pawitan. In All Likelihood. Oxford University Press.
- Hodd, McKean, and Craig. Introduction to Mathematical Statistics. Pearson.

Examples

```
library(LRTesteR)

# Null is true
set.seed(1)
x <- rbeta(150, 2, 2)
fctr <- c(rep(1, 50), rep(2, 50), rep(3, 50))
fctr <- factor(fctr, levels = c("1", "2", "3"))
beta_shape2_one_way(x, fctr, .95)

# Null is false
set.seed(1)
x <- c(rbeta(50, 2, 1), rbeta(50, 2, 2), rbeta(50, 2, 3))
fctr <- c(rep(1, 50), rep(2, 50), rep(3, 50))
fctr <- factor(fctr, levels = c("1", "2", "3"))
beta_shape2_one_way(x, fctr, .95)
```

binomial_p_one_sample *Test the p parameter of a binomial distribution.*

Description

Test the p parameter of a binomial distribution.

Usage

```
binomial_p_one_sample(x, n, p, alternative = "two.sided", conf.level = 0.95)
```

Arguments

x	Number of successes.
n	Number of trials.
p	Hypothesized probability of success.
alternative	a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less".
conf.level	confidence level of the likelihood interval.

Value

An S3 class containing the test statistic, p value, likelihood based confidence interval, and alternative hypothesis.

Source

- https://en.wikipedia.org/wiki/Likelihood-ratio_test
- Yudi Pawitan. In All Likelihood. Oxford University Press.
- Hodd, McKean, and Craig. Introduction to Mathematical Statistics. Pearson.

Examples

```
library(LRTesteR)

# Null is true. 52 successes. 100 trials
binomial_p_one_sample(52, 100, .50, "two.sided")

# Null is false. 75 successes. 100 trials
binomial_p_one_sample(75, 100, .50, "two.sided")
```

`binomial_p_one_way` *Test the equality of p parameters of binomial distributions.*

Description

Test the equality of p parameters of binomial distributions.

Usage

```
binomial_p_one_way(x, n, fctr, conf.level = 0.95)
```

Arguments

- | | |
|-------------------------|---|
| <code>x</code> | a numeric vector indicating number of successes per group. |
| <code>n</code> | a numeric vector indicating number of attempts per group. |
| <code>fctr</code> | a factor vector indicating groups. |
| <code>conf.level</code> | overall confidence level of the likelihood intervals. Uses Bonferroni correction. |

Value

An S3 class containing the test statistic, p value, list of likelihood based confidence intervals, overall confidence level, individual confidence level of each interval and alternative hypothesis.

Source

- https://en.wikipedia.org/wiki/Likelihood-ratio_test
- Yudi Pawitan. In All Likelihood. Oxford University Press.
- Hodd, McKean, and Craig. Introduction to Mathematical Statistics. Pearson.

Examples

```
library(LRTesteR)

# Null is true.
set.seed(1)
x <- rbinom(3, 50, .5)
n <- rep(50, length(x))
fctr <- factor(1:length(x))
binomial_p_one_way(x, n, fctr, .95)

# Null is false
set.seed(1)
x <- rbinom(3, 50, c(.25, .50, .75))
n <- rep(50, length(x))
fctr <- factor(1:length(x))
binomial_p_one_way(x, n, fctr, .95)
```

cauchy_location_one_sample

Test the location parameter of a cauchy distribution.

Description

Test the location parameter of a cauchy distribution.

Usage

```
cauchy_location_one_sample(
  x,
  location,
  alternative = "two.sided",
  conf.level = 0.95
)
```

Arguments

x	a numeric vector of at least 50 data values.
location	a number indicating the tested value of the location parameter.
alternative	a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less".
conf.level	confidence level of the likelihood interval.

Value

An S3 class containing the test statistic, p value, likelihood based confidence interval, and alternative hypothesis.

Source

- https://en.wikipedia.org/wiki/Likelihood-ratio_test
- Yudi Pawitan. In All Likelihood. Oxford University Press.
- Hogg, McKean, and Craig. Introduction to Mathematical Statistics. Pearson.

Examples

```
library(LRTesteR)

# Null is true
set.seed(1)
x <- rcauchy(n = 100, location = 1, scale = 2)
cauchy_location_one_sample(x, 1, "two.sided")

# Null is false
set.seed(1)
x <- rcauchy(n = 100, location = 3, scale = 2)
cauchy_location_one_sample(x, 1, "greater")
```

cauchy_location_one_way

Test the equality of location parameters of cauchy distributions.

Description

Test the equality of location parameters of cauchy distributions.

Usage

```
cauchy_location_one_way(x, fctr, conf.level = 0.95)
```

Arguments

- | | |
|------------|---|
| x | a numeric vector of at least 50 data values per group. |
| fctr | a factor vector indicating groups. |
| conf.level | overall confidence level of the likelihood intervals. Uses Bonferroni correction. |

Details

- All locations are equal. (location_1 = location_2 ... location_k).
- Alternative: At least one location is not equal.

Value

An S3 class containing the test statistic, p value, list of likelihood based confidence intervals, overall confidence level, individual confidence level of each interval and alternative hypothesis.

Source

- https://en.wikipedia.org/wiki/Likelihood-ratio_test
- Yudi Pawitan. In All Likelihood. Oxford University Press.
- Hogg, McKean, and Craig. Introduction to Mathematical Statistics. Pearson.

Examples

```
library(LRTesteR)

# Null is true
set.seed(1)
x <- rcauchy(n = 150, location = 1, scale = 2)
fctr <- c(rep(1, 50), rep(2, 50), rep(3, 50))
fctr <- factor(fctr, levels = c("1", "2", "3"))
cauchy_location_one_way(x, fctr, .95)

# Null is false
set.seed(1)
x <- c(rcauchy(50, 1, 2), rcauchy(50, 2, 2), rcauchy(50, 3, 2))
fctr <- c(rep(1, 50), rep(2, 50), rep(3, 50))
fctr <- factor(fctr, levels = c("1", "2", "3"))
cauchy_location_one_way(x, fctr, .95)
```

cauchy_scale_one_sample

Test the scale parameter of a cauchy distribution.

Description

Test the scale parameter of a cauchy distribution.

Usage

```
cauchy_scale_one_sample(x, scale, alternative = "two.sided", conf.level = 0.95)
```

Arguments

x	a numeric vector of at least 50 data values.
scale	a number indicating the tested value of the scale parameter.
alternative	a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less".
conf.level	confidence level of the likelihood interval.

Value

An S3 class containing the test statistic, p value, likelihood based confidence interval, and alternative hypothesis.

Source

- https://en.wikipedia.org/wiki/Likelihood-ratio_test
- Yudi Pawitan. In All Likelihood. Oxford University Press.
- Hogg, McKean, and Craig. Introduction to Mathematical Statistics. Pearson.

Examples

```
library(LRTesteR)

# Null is true
set.seed(1)
x <- rcauchy(n = 100, location = 1, scale = 2)
cauchy_scale_one_sample(x, 2, "two.sided")

# Null is false
set.seed(1)
x <- rcauchy(n = 100, location = 3, scale = 2)
cauchy_scale_one_sample(x, 1, "greater")
```

cauchy_scale_one_way *Test the equality of scale parameters of cauchy distributions.*

Description

Test the equality of scale parameters of cauchy distributions.

Usage

```
cauchy_scale_one_way(x, fctr, conf.level = 0.95)
```

Arguments

x	a numeric vector of at least 50 data values per group.
fctr	a factor vector indicating groups.
conf.level	overall confidence level of the likelihood intervals. Uses Bonferroni correction.

Details

- Null: All scales are equal. (scale_1 = scale_2 ... scale_k).
- Alternative: At least one scale is not equal.

Value

An S3 class containing the test statistic, p value, list of likelihood based confidence intervals, overall confidence level, individual confidence level of each interval and alternative hypothesis.

Source

- https://en.wikipedia.org/wiki/Likelihood-ratio_test
- Yudi Pawitan. In All Likelihood. Oxford University Press.
- Hogg, McKean, and Craig. Introduction to Mathematical Statistics. Pearson.

Examples

```
library(LRTesteR)

# Null is true
set.seed(1)
x <- rcauchy(n = 150, 1, 2)
fctr <- c(rep(1, 50), rep(2, 50), rep(3, 50))
fctr <- factor(fctr, levels = c("1", "2", "3"))
cauchy_scale_one_way(x, fctr, .95)

# Null is false
set.seed(1)
x <- c(rcauchy(50, 2, 1), rcauchy(50, 2, 2), rcauchy(50, 2, 3))
fctr <- c(rep(1, 50), rep(2, 50), rep(3, 50))
fctr <- factor(fctr, levels = c("1", "2", "3"))
cauchy_scale_one_way(x, fctr, .95)
```

empirical_mu_one_sample

Test the mean parameter of an unknown distribution.

Description

Test the mean parameter of an unknown distribution.

Usage

```
empirical_mu_one_sample(x, mu, alternative = "two.sided", conf.level = 0.95)
```

Arguments

x	a numeric vector.
mu	a number indicating the tested value of mu.
alternative	a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less".
conf.level	confidence level of the likelihood interval.

Value

An S3 class containing the test statistic, p value, likelihood based confidence interval, and alternative hypothesis.

Source

- Yudi Pawitan. In All Likelihood. Oxford University Press.
- Owen. Empirical Likelihood. Chapman & Hall/CRC.

Examples

```
library(LRTesteR)

# Null is true
set.seed(1)
x <- rnorm(25, 0, 1)
empirical_mu_one_sample(x, 0, "two.sided")

# Null is false
set.seed(1)
x <- rnorm(25, 2, 1)
empirical_mu_one_sample(x, 1, "greater")
```

empirical_mu_one_way *Test the equality of means of an unknown distribution.*

Description

Test the equality of means of an unknown distribution.

Usage

```
empirical_mu_one_way(x, fctr, conf.level = 0.95)
```

Arguments

x	a numeric vector.
fctr	a factor vector indicating groups.
conf.level	overall confidence level of the likelihood intervals. Uses Bonferroni correction.

Details

- Null: All mus are equal. ($\mu_1 = \mu_2 \dots \mu_k$).
- Alternative: At least one mu is not equal.

Value

An S3 class containing the test statistic, p value, list of likelihood based confidence intervals, overall confidence level, individual confidence level of each interval and alternative hypothesis.

Source

- Yudi Pawitan. In All Likelihood. Oxford University Press.
- Owen. Empirical Likelihood. Chapman & Hall/CRC.

Examples

```
library(LRTesteR)

# Null is true
set.seed(1)
x <- rnorm(75, 1, 1)
fctr <- c(rep(1, 25), rep(2, 25), rep(3, 25))
fctr <- factor(fctr, levels = c("1", "2", "3"))
empirical_mu_one_way(x, fctr, .95)

# Null is false
set.seed(1)
x <- c(rnorm(25, 1, 1), rnorm(25, 2, 1), rnorm(25, 3, 1))
fctr <- c(rep(1, 25), rep(2, 25), rep(3, 25))
fctr <- factor(fctr, levels = c("1", "2", "3"))
empirical_mu_one_way(x, fctr, .95)
```

empirical_quantile_one_sample
Test a quantile of an unknown distribution.

Description

Test a quantile of an unknown distribution.

Usage

```
empirical_quantile_one_sample(
  x,
  Q,
  value,
  alternative = "two.sided",
  conf.level = 0.95
)
```

Arguments

<code>x</code>	a numeric vector.
<code>Q</code>	The quantile. A single numeric number. (.50 is median.)
<code>value</code>	A single numeric value that is the hypothesized Q quantile.
<code>alternative</code>	a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less".
<code>conf.level</code>	confidence level of the likelihood interval.

Details

For confidence intervals, an endpoint may be outside the observed range of x . In this case, NA is returned. Reducing confidence or collecting more data will make the CI computable.

Value

An S3 class containing the test statistic, p value, likelihood based confidence interval, and alternative hypothesis.

Source

- Yudi Pawitan. In All Likelihood. Oxford University Press.
- Owen. Empirical Likelihood. Chapman & Hall/CRC.

Examples

```
library(LRTesteR)

# Null is true
set.seed(1)
x <- rnorm(25, 0, 1)
empirical_quantile_one_sample(x, .5, 0, "two.sided")

# Null is false
set.seed(1)
x <- rnorm(25, 2, 1)
empirical_quantile_one_sample(x, .5, 1, "greater")
```

empirical_quantile_one_way

Test the equality of a quantile from an unknown distribution.

Description

Test the equality of a quantile from an unknown distribution.

Usage

```
empirical_quantile_one_way(x, Q, fctr, conf.level = 0.95)
```

Arguments

<code>x</code>	a numeric vector.
<code>Q</code>	The quantile. A single numeric number. (.50 is median.)
<code>fctr</code>	a factor vector indicating groups.
<code>conf.level</code>	overall confidence level of the likelihood intervals. Uses Bonferroni correction.

Details

- Null: Quantiles are equal. ($Q_1 = Q_2 \dots Q_k$).
- Alternative: At least one quantile is not equal.

Value

An S3 class containing the test statistic, p value, list of likelihood based confidence intervals, overall confidence level, individual confidence level of each interval and alternative hypothesis.

Source

- Yudi Pawitan. In All Likelihood. Oxford University Press.
- Owen. Empirical Likelihood. Chapman & Hall/CRC.

Examples

```
library(LRTesteR)

# Null is true
set.seed(1)
x <- rnorm(75, 1, 1)
fctr <- c(rep(1, 25), rep(2, 25), rep(3, 25))
fctr <- factor(fctr, levels = c("1", "2", "3"))
empirical_quantile_one_way(x, .50, fctr, .95)

# Null is false
set.seed(1)
x <- c(rnorm(25, 1, 1), rnorm(25, 2, 1), rnorm(25, 3, 1))
fctr <- c(rep(1, 25), rep(2, 25), rep(3, 25))
fctr <- factor(fctr, levels = c("1", "2", "3"))
empirical_quantile_one_way(x, .50, fctr, .95)
```

exponential_rate_one_sample

Test the rate parameter of a exponential distribution.

Description

Test the rate parameter of a exponential distribution.

Usage

```
exponential_rate_one_sample(
  x,
  rate,
  alternative = "two.sided",
  conf.level = 0.95
)
```

Arguments

<code>x</code>	a numeric vector of at least 50 data values.
<code>rate</code>	a number indicating the tested value of rate.
<code>alternative</code>	a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less".
<code>conf.level</code>	confidence level of the likelihood interval.

Value

An S3 class containing the test statistic, p value, likelihood based confidence interval, and alternative hypothesis.

Source

- https://en.wikipedia.org/wiki/Likelihood-ratio_test
- Yudi Pawitan. In All Likelihood. Oxford University Press.
- Hogg, McKean, and Craig. Introduction to Mathematical Statistics. Pearson.

Examples

```
library(LRTesteR)

# Null is true
set.seed(1)
x <- rexp(100, 1)
exponential_rate_one_sample(x, 1, "two.sided")

# Null is false
set.seed(1)
x <- rexp(100, 3)
exponential_rate_one_sample(x, 1, "greater")
```

exponential_rate_one_way

Test the equality of rate parameters of exponential distributions.

Description

Test the equality of rate parameters of exponential distributions.

Usage

```
exponential_rate_one_way(x, fctr, conf.level = 0.95)
```

Arguments

- x a numeric vector of at least 50 data values per group.
 fctr a factor vector indicating groups.
 conf.level overall confidence level of the likelihood intervals. Uses Bonferroni correction.

Details

- Null: All lambdas are equal. ($\lambda_1 = \lambda_2 \dots \lambda_k$).
- Alternative: At least one lambda is not equal.

Value

An S3 class containing the test statistic, p value, list of likelihood based confidence intervals, overall confidence level, individual confidence level of each interval and alternative hypothesis.

Source

- https://en.wikipedia.org/wiki/Likelihood-ratio_test
- Yudi Pawitan. In All Likelihood. Oxford University Press.
- Hogg, McKean, and Craig. Introduction to Mathematical Statistics. Pearson.

Examples

```

library(LRTesteR)

# Null is true
set.seed(1)
x <- rexp(150, 1)
fctr <- c(rep(1, 50), rep(2, 50), rep(3, 50))
fctr <- factor(fctr, levels = c("1", "2", "3"))
exponential_rate_one_way(x, fctr, .95)

# Null is false
set.seed(1)
x <- c(rexp(50, 1), rexp(50, 2), rexp(50, 3))
fctr <- c(rep(1, 50), rep(2, 50), rep(3, 50))
fctr <- factor(fctr, levels = c("1", "2", "3"))
exponential_rate_one_way(x, fctr, .95)

```

gamma_rate_one_sample *Test the rate parameter of a gamma distribution.*

Description

Test the rate parameter of a gamma distribution.

Usage

```
gamma_rate_one_sample(x, rate, alternative = "two.sided", conf.level = 0.95)
```

Arguments

x	a numeric vector of at least 50 data values.
rate	a number indicating the tested value of the rate parameter.
alternative	a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less".
conf.level	confidence level of the likelihood interval.

Value

An S3 class containing the test statistic, p value, likelihood based confidence interval, and alternative hypothesis.

Source

- https://en.wikipedia.org/wiki/Likelihood-ratio_test
- Yudi Pawitan. In All Likelihood. Oxford University Press.
- Hogg, McKean, and Craig. Introduction to Mathematical Statistics. Pearson.

Examples

```
library(LRTesteR)

# Null is true
set.seed(1)
x <- rgamma(100, shape = 1, rate = 1)
gamma_rate_one_sample(x, 1, "two.sided")

# Null is false
set.seed(1)
x <- rgamma(100, shape = 1, rate = 2)
gamma_rate_one_sample(x, 1, "greater")
```

gamma_rate_one_way *Test the equality of rate parameters of gamma distributions.*

Description

Test the equality of rate parameters of gamma distributions.

Usage

```
gamma_rate_one_way(x, fctr, conf.level = 0.95)
```

Arguments

x	a numeric vector of at least 50 data values per group.
fctr	a factor vector indicating groups.
conf.level	overall confidence level of the likelihood intervals. Uses Bonferroni correction.

Details

- Null: All rates are equal. ($\text{rate_1} = \text{rate_2} \dots \text{rate_k}$).
- Alternative: At least one rate is not equal.

Value

An S3 class containing the test statistic, p value, list of likelihood based confidence intervals, overall confidence level, individual confidence level of each interval and alternative hypothesis.

Source

- https://en.wikipedia.org/wiki/Likelihood-ratio_test
- Yudi Pawitan. In All Likelihood. Oxford University Press.
- Hogg, McKean, and Craig. Introduction to Mathematical Statistics. Pearson.

Examples

```
library(LRTesteR)

# Null is true
set.seed(1)
x <- rgamma(150, 1, 2)
fctr <- c(rep(1, 50), rep(2, 50), rep(3, 50))
fctr <- factor(fctr, levels = c("1", "2", "3"))
gamma_rate_one_way(x, fctr, .95)

# Null is false
set.seed(1)
x <- c(rgamma(50, 2, 1), rgamma(50, 2, 2), rgamma(50, 2, 3))
fctr <- c(rep(1, 50), rep(2, 50), rep(3, 50))
fctr <- factor(fctr, levels = c("1", "2", "3"))
gamma_rate_one_way(x, fctr, .95)
```

gamma_scale_one_sample

Test the scale parameter of a gamma distribution.

Description

Test the scale parameter of a gamma distribution.

Usage

```
gamma_scale_one_sample(x, scale, alternative = "two.sided", conf.level = 0.95)
```

Arguments

<code>x</code>	a numeric vector of at least 50 data values.
<code>scale</code>	a number indicating the tested value of the scale parameter.
<code>alternative</code>	a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less".
<code>conf.level</code>	confidence level of the likelihood interval.

Value

An S3 class containing the test statistic, p value, likelihood based confidence interval, and alternative hypothesis.

Source

- https://en.wikipedia.org/wiki/Likelihood-ratio_test
- Yudi Pawitan. In All Likelihood. Oxford University Press.
- Hogg, McKean, and Craig. Introduction to Mathematical Statistics. Pearson.

Examples

```
library(LRTesteR)

# Null is true
set.seed(1)
x <- rgamma(100, shape = 1, scale = 2)
gamma_scale_one_sample(x, 2, "two.sided")

# Null is false
set.seed(1)
x <- rgamma(100, shape = 1, scale = 2)
gamma_scale_one_sample(x, 1, "greater")
```

`gamma_scale_one_way` *Test the equality of scale parameters of gamma distributions.*

Description

Test the equality of scale parameters of gamma distributions.

Usage

```
gamma_scale_one_way(x, fctr, conf.level = 0.95)
```

Arguments

x	a numeric vector of at least 50 data values per group.
fctr	a factor vector indicating groups.
conf.level	overall confidence level of the likelihood intervals. Uses Bonferroni correction.

Details

- Null: All scales are equal. ($\text{scale_1} = \text{scale_2} \dots \text{scale_k}$).
- Alternative: At least one scale is not equal.

Value

An S3 class containing the test statistic, p value, list of likelihood based confidence intervals, overall confidence level, individual confidence level of each interval and alternative hypothesis.

Source

- https://en.wikipedia.org/wiki/Likelihood-ratio_test
- Yudi Pawitan. In All Likelihood. Oxford University Press.
- Hogg, McKean, and Craig. Introduction to Mathematical Statistics. Pearson.

Examples

```
library(LRTesteR)

# Null is true
set.seed(1)
x <- rgamma(150, 1, scale = 2)
fctr <- c(rep(1, 50), rep(2, 50), rep(3, 50))
fctr <- factor(fctr, levels = c("1", "2", "3"))
gamma_shape_one_sample(x, fctr, .95)

# Null is false
set.seed(1)
x <- c(rgamma(50, 2, scale = 1), rgamma(50, 2, scale = 2), rgamma(50, 2, scale = 3))
fctr <- c(rep(1, 50), rep(2, 50), rep(3, 50))
fctr <- factor(fctr, levels = c("1", "2", "3"))
gamma_shape_one_sample(x, fctr, .95)
```

gamma_shape_one_sample

Test the shape parameter of a gamma distribution.

Description

Test the shape parameter of a gamma distribution.

Usage

```
gamma_shape_one_sample(x, shape, alternative = "two.sided", conf.level = 0.95)
```

Arguments

<code>x</code>	a numeric vector of at least 50 data values.
<code>shape</code>	a number indicating the tested value of the shape parameter.
<code>alternative</code>	a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less".
<code>conf.level</code>	confidence level of the likelihood interval.

Value

An S3 class containing the test statistic, p value, likelihood based confidence interval, and alternative hypothesis.

Source

- https://en.wikipedia.org/wiki/Likelihood-ratio_test
- Yudi Pawitan. In All Likelihood. Oxford University Press.
- Hogg, McKean, and Craig. Introduction to Mathematical Statistics. Pearson.

Examples

```
library(LRTesteR)

# Null is true
set.seed(1)
x <- rgamma(100, shape = 1, scale = 2)
gamma_shape_one_sample(x, 1, "two.sided")

# Null is false
set.seed(1)
x <- rgamma(100, shape = 3, scale = 2)
gamma_shape_one_sample(x, 1, "greater")
```

`gamma_shape_one_way` *Test the equality of shape parameters of gamma distributions.*

Description

Test the equality of shape parameters of gamma distributions.

Usage

```
gamma_shape_one_way(x, fctr, conf.level = 0.95)
```

Arguments

x	a numeric vector of at least 50 data values per group.
fctr	a factor vector indicating groups.
conf.level	overall confidence level of the likelihood intervals. Uses Bonferroni correction.

Details

- Null: All shapes are equal. ($\text{shape_1} = \text{shape_2} \dots \text{shape_k}$).
- Alternative: At least one shape is not equal.

Value

An S3 class containing the test statistic, p value, list of likelihood based confidence intervals, overall confidence level, individual confidence level of each interval and alternative hypothesis.

Source

- https://en.wikipedia.org/wiki/Likelihood-ratio_test
- Yudi Pawitan. In All Likelihood. Oxford University Press.
- Hogg, McKean, and Craig. Introduction to Mathematical Statistics. Pearson.

Examples

```
library(LRTesteR)

# Null is true
set.seed(1)
x <- rgamma(150, 2, 2)
fctr <- c(rep(1, 50), rep(2, 50), rep(3, 50))
fctr <- factor(fctr, levels = c("1", "2", "3"))
gamma_shape_one_way(x, fctr, .95)

# Null is false
set.seed(1)
x <- c(rgamma(50, 1, 2), rgamma(50, 2, 2), rgamma(50, 3, 2))
fctr <- c(rep(1, 50), rep(2, 50), rep(3, 50))
fctr <- factor(fctr, levels = c("1", "2", "3"))
gamma_shape_one_way(x, fctr, .95)
```

gaussian_mu_one_sample

Test the mean of a gaussian distribution.

Description

Test the mean of a gaussian distribution.

Usage

```
gaussian_mu_one_sample(x, mu, alternative = "two.sided", conf.level = 0.95)
```

Arguments

x	a numeric vector of at least 50 data values.
mu	a number indicating the tested value of mu.
alternative	a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less".
conf.level	confidence level of the likelihood interval.

Value

An S3 class containing the test statistic, p value, likelihood based confidence interval, and alternative hypothesis.

Source

- https://en.wikipedia.org/wiki/Likelihood-ratio_test
- Yudi Pawitan. In All Likelihood. Oxford University Press.
- Hogg, McKean, and Craig. Introduction to Mathematical Statistics. Pearson.

Examples

```
library(LRTesteR)

# Null is true
set.seed(1)
x <- rnorm(100, 0, 1)
gaussian_mu_one_sample(x, 0, "two.sided")

# Null is false
set.seed(1)
x <- rnorm(100, 3, 1)
gaussian_mu_one_sample(x, 0, "greater")
```

gaussian_mu_one_way *Test the equality of means of gaussian distributions.*

Description

Test the equality of means of gaussian distributions.

Usage

```
gaussian_mu_one_way(x, fctr, conf.level = 0.95)
```

Arguments

x	a numeric vector of at least 50 data values per group.
fctr	a factor vector indicating groups.
conf.level	overall confidence level of the likelihood intervals. Uses Bonferroni correction.

Details

- Null: All mus are equal. ($\mu_1 = \mu_2 \dots \mu_k$).
- Alternative: At least one mu is not equal.

Value

An S3 class containing the test statistic, p value, list of likelihood based confidence intervals, overall confidence level, individual confidence level of each interval and alternative hypothesis.

Source

- https://en.wikipedia.org/wiki/Likelihood-ratio_test
- Yudi Pawitan. In All Likelihood. Oxford University Press.
- Hogg, McKean, and Craig. Introduction to Mathematical Statistics. Pearson.

Examples

```
library(LRTesteR)

# Null is true
set.seed(1)
x <- rnorm(150, 1, 1)
fctr <- c(rep(1, 50), rep(2, 50), rep(3, 50))
fctr <- factor(fctr, levels = c("1", "2", "3"))
gaussian_mu_one_way(x, fctr, .95)

# Null is false
set.seed(1)
x <- c(rnorm(50, 1, 1), rnorm(50, 2, 1), rnorm(50, 3, 1))
fctr <- c(rep(1, 50), rep(2, 50), rep(3, 50))
fctr <- factor(fctr, levels = c("1", "2", "3"))
gaussian_mu_one_way(x, fctr, .95)
```

gaussian_variance_one_sample

Test the variance of a gaussian distribution.

Description

Test the variance of a gaussian distribution.

Usage

```
gaussian_variance_one_sample(
  x,
  sigma.squared,
  alternative = "two.sided",
  conf.level = 0.95
)
```

Arguments

<code>x</code>	a numeric vector of at least 50 data values.
<code>sigma.squared</code>	a number indicating the tested value of sigma squared.
<code>alternative</code>	a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less".
<code>conf.level</code>	confidence level of the likelihood interval.

Value

An S3 class containing the test statistic, p value, likelihood based confidence interval, and alternative hypothesis.

Source

- https://en.wikipedia.org/wiki/Likelihood-ratio_test
- Yudi Pawitan. In All Likelihood. Oxford University Press.
- Hodd, McKean, and Craig. Introduction to Mathematical Statistics. Pearson.

Examples

```
library(LRTesteR)

# Null is true
set.seed(1)
x <- rnorm(100, 0, 1)
gaussian_variance_one_sample(x, 1, "two.sided")

# Null is false
set.seed(1)
x <- rnorm(100, 0, 2)
gaussian_variance_one_sample(x, 1, "greater")
```

gaussian_variance_one_way*Test the equality of variance parameters of gaussian distributions.*

Description

Test the equality of variance parameters of gaussian distributions.

Usage

```
gaussian_variance_one_way(x, fctr, conf.level = 0.95)
```

Arguments

- x a numeric vector of at least 50 data values per group.
- fctr a factor vector indicating groups.
- conf.level overall confidence level of the likelihood intervals. Uses Bonferroni correction.

Details

- Null: All variances are equal. ($\sigma^2_1 = \sigma^2_2 \dots \sigma^2_k$).
- Alternative: At least one variance is not equal.

Value

An S3 class containing the test statistic, p value, list of likelihood based confidence intervals, overall confidence level, individual confidence level of each interval and alternative hypothesis.

Source

- https://en.wikipedia.org/wiki/Likelihood-ratio_test
- Yudi Pawitan. In All Likelihood. Oxford University Press.
- Hogg, McKean, and Craig. Introduction to Mathematical Statistics. Pearson.

Examples

```
library(LRTesteR)

# Null is true
set.seed(1)
x <- rnorm(150, 1, 1)
fctr <- c(rep(1, 50), rep(2, 50), rep(3, 50))
fctr <- factor(fctr, levels = c("1", "2", "3"))
gaussian_variance_one_way(x, fctr, .95)

# Null is false
set.seed(1)
```

```

x <- c(rnorm(50, 1, 1), rnorm(50, 1, 2), rnorm(50, 1, 3))
fctr <- c(rep(1, 50), rep(2, 50), rep(3, 50))
fctr <- factor(fctr, levels = c("1", "2", "3"))
gaussian_variance_one_way(x, fctr, .95)

```

inverse_gaussian_dispersion_one_sample*Test the dispersion parameter of an inverse gaussian distribution.***Description**

Test the dispersion parameter of an inverse gaussian distribution.

Usage

```
inverse_gaussian_dispersion_one_sample(
  x,
  dispersion,
  alternative = "two.sided",
  conf.level = 0.95
)
```

Arguments

<code>x</code>	a numeric vector of at least 50 data values.
<code>dispersion</code>	a number indicating the tested value of the dispersion parameter.
<code>alternative</code>	a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less".
<code>conf.level</code>	confidence level of the likelihood interval.

Value

An S3 class containing the test statistic, p value, likelihood based confidence interval, and alternative hypothesis.

Source

- https://en.wikipedia.org/wiki/Likelihood-ratio_test
- Yudi Pawitan. In All Likelihood. Oxford University Press.
- Hogg, McKean, and Craig. Introduction to Mathematical Statistics. Pearson.

Examples

```
library(LRTesteR)
library(statmod)

# Null is true
set.seed(1)
x <- rinvgauss(n = 100, mean = 1, dispersion = 2)
inverse_gaussian_dispersion_one_sample(x, 2, "two.sided")

# Null is false
set.seed(1)
x <- rinvgauss(n = 100, mean = 1, dispersion = 2)
inverse_gaussian_dispersion_one_sample(x, 1, "greater")
```

inverse_gaussian_dispersion_one_way

Test the equality of dispersion parameters of inverse gaussian distributions.

Description

Test the equality of dispersion parameters of inverse gaussian distributions.

Usage

```
inverse_gaussian_dispersion_one_way(x, fctr, conf.level = 0.95)
```

Arguments

- | | |
|-------------------------|---|
| <code>x</code> | a numeric vector of at least 50 data values per group. |
| <code>fctr</code> | a factor vector indicating groups. |
| <code>conf.level</code> | overall confidence level of the likelihood intervals. Uses Bonferroni correction. |

Details

- Null: Null: All dispersion parameters are equal. ($\text{dispersion}_1 = \text{dispersion}_2 \dots \text{dispersion}_k$).
- Alternative: At least one dispersion is not equal.

Value

An S3 class containing the test statistic, p value, list of likelihood based confidence intervals, overall confidence level, individual confidence level of each interval and alternative hypothesis.

Source

- https://en.wikipedia.org/wiki/Likelihood-ratio_test
- Yudi Pawitan. In All Likelihood. Oxford University Press.
- Hogg, McKean, and Craig. Introduction to Mathematical Statistics. Pearson.

Examples

```
library(LRTesteR)
library(statmod)

# Null is true
set.seed(1)
x <- rinvgauss(n = 150, mean = 1, dispersion = 2)
fctr <- c(rep(1, 50), rep(2, 50), rep(3, 50))
fctr <- factor(fctr, levels = c("1", "2", "3"))
inverse_gaussian_dispersion_one_way(x, fctr, .95)

# Null is false
set.seed(1)
x <- c(
  rinvgauss(n = 50, mean = 1, dispersion = 1),
  rinvgauss(n = 50, mean = 1, dispersion = 3),
  rinvgauss(n = 50, mean = 1, dispersion = 4)
)
fctr <- c(rep(1, 50), rep(2, 50), rep(3, 50))
fctr <- factor(fctr, levels = c("1", "2", "3"))
inverse_gaussian_dispersion_one_way(x, fctr, .95)
```

inverse_gaussian_mu_one_sample

Test the mean of an inverse gaussian distribution.

Description

Test the mean of an inverse gaussian distribution.

Usage

```
inverse_gaussian_mu_one_sample(
  x,
  mu,
  alternative = "two.sided",
  conf.level = 0.95
)
```

Arguments

<code>x</code>	a numeric vector of at least 50 data values.
<code>mu</code>	a number indicating the tested value of mu.
<code>alternative</code>	a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less".
<code>conf.level</code>	confidence level of the likelihood interval.

Value

An S3 class containing the test statistic, p value, likelihood based confidence interval, and alternative hypothesis.

Source

- https://en.wikipedia.org/wiki/Likelihood-ratio_test
- Yudi Pawitan. In All Likelihood. Oxford University Press.
- Hodd, McKean, and Craig. Introduction to Mathematical Statistics. Pearson.

Examples

```
library(LRTester)
library(statmod)

# Null is true
set.seed(1)
x <- rinvgauss(n = 100, mean = 1, shape = 2)
inverse_gaussian_mu_one_sample(x, 1, "two.sided")

# Null is false
set.seed(1)
x <- rinvgauss(n = 100, mean = 3, shape = 2)
inverse_gaussian_mu_one_sample(x, 1, "greater")
```

inverse_gaussian_mu_one_way

Test the equality of means of inverse gaussian distributions.

Description

Test the equality of means of inverse gaussian distributions.

Usage

```
inverse_gaussian_mu_one_way(x, fctr, conf.level = 0.95)
```

Arguments

<code>x</code>	a numeric vector of at least 50 data values per group.
<code>fctr</code>	a factor vector indicating groups.
<code>conf.level</code>	overall confidence level of the likelihood intervals. Uses Bonferroni correction.

Details

- Null: All mus are equal. ($\mu_1 = \mu_2 \dots \mu_k$).
- Alternative: At least one mu is not equal.

Value

An S3 class containing the test statistic, p value, list of likelihood based confidence intervals, overall confidence level, individual confidence level of each interval and alternative hypothesis.

Source

- https://en.wikipedia.org/wiki/Likelihood-ratio_test
- Yudi Pawitan. In All Likelihood. Oxford University Press.
- Hogg, McKean, and Craig. Introduction to Mathematical Statistics. Pearson.

Examples

```
library(LRTesteR)
library(statmod)

# Null is true
set.seed(1)
x <- rinvgauss(n = 150, mean = 1, shape = 2)
fctr <- c(rep(1, 50), rep(2, 50), rep(3, 50))
fctr <- factor(fctr, levels = c("1", "2", "3"))
inverse_gaussian_mu_one_way(x, fctr, .95)

# Null is false
set.seed(1)
x <- c(
  rinvgauss(n = 50, mean = 1, shape = 2),
  rinvgauss(n = 50, mean = 2, shape = 2),
  rinvgauss(n = 50, mean = 3, shape = 2)
)
fctr <- c(rep(1, 50), rep(2, 50), rep(3, 50))
fctr <- factor(fctr, levels = c("1", "2", "3"))
inverse_gaussian_mu_one_way(x, fctr, .95)
```

inverse_gaussian_shape_one_sample*Test the shape parameter of an inverse gaussian distribution.***Description**

Test the shape parameter of an inverse gaussian distribution.

Usage

```
inverse_gaussian_shape_one_sample(
  x,
  shape,
  alternative = "two.sided",
  conf.level = 0.95
)
```

Arguments

<code>x</code>	a numeric vector of at least 50 data values.
<code>shape</code>	a number indicating the tested value of the shape parameter.
<code>alternative</code>	a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less".
<code>conf.level</code>	confidence level of the likelihood interval.

Value

An S3 class containing the test statistic, p value, likelihood based confidence interval, and alternative hypothesis.

Source

- https://en.wikipedia.org/wiki/Likelihood-ratio_test
- Yudi Pawitan. In All Likelihood. Oxford University Press.
- Hogg, McKean, and Craig. Introduction to Mathematical Statistics. Pearson.

Examples

```
library(LRTesteR)
library(statmod)

# Null is true
set.seed(1)
x <- rinvgauss(n = 100, mean = 1, shape = 2)
inverse_gaussian_shape_one_sample(x, 2, "two.sided")

# Null is false
```

```
set.seed(1)
x <- rinvgauss(n = 100, mean = 1, shape = 2)
inverse_gaussian_shape_one_sample(x, 1, "greater")
```

inverse_gaussian_shape_one_way*Test the equality of shape parameters of inverse gaussian distributions.***Description**

Test the equality of shape parameters of inverse gaussian distributions.

Usage

```
inverse_gaussian_shape_one_way(x, fctr, conf.level = 0.95)
```

Arguments

- | | |
|-------------------------|---|
| <code>x</code> | a numeric vector of at least 50 data values per group. |
| <code>fctr</code> | a factor vector indicating groups. |
| <code>conf.level</code> | overall confidence level of the likelihood intervals. Uses Bonferroni correction. |

Details

- Null: All shapes are equal. (`shape_1 = shape_2 ... shape_k`).
- Alternative: At least one shape is not equal.

Value

An S3 class containing the test statistic, p value, list of likelihood based confidence intervals, overall confidence level, individual confidence level of each interval and alternative hypothesis.

Source

- https://en.wikipedia.org/wiki/Likelihood-ratio_test
- Yudi Pawitan. In All Likelihood. Oxford University Press.
- Hogg, McKean, and Craig. Introduction to Mathematical Statistics. Pearson.

Examples

```
library(LRTesteR)
library(statmod)

# Null is true
set.seed(1)
x <- rinvgauss(n = 150, mean = 1, shape = 2)
fctr <- c(rep(1, 50), rep(2, 50), rep(3, 50))
```

```
fctr <- factor(fctr, levels = c("1", "2", "3"))
inverse_gaussian_shape_one_way(x, fctr, .95)

# Null is false
set.seed(1)
x <- c(
  rinvgauss(n = 50, mean = 1, shape = 1),
  rinvgauss(n = 50, mean = 1, shape = 3),
  rinvgauss(n = 50, mean = 1, shape = 4)
)
fctr <- c(rep(1, 50), rep(2, 50), rep(3, 50))
fctr <- factor(fctr, levels = c("1", "2", "3"))
inverse_gaussian_shape_one_way(x, fctr, .95)
```

negative_binomial_p_one_sample*Test the p parameter of a negative binomial distribution.***Description**

Test the p parameter of a negative binomial distribution.

Usage

```
negative_binomial_p_one_sample(
  num_failures,
  num_successes,
  p,
  alternative = "two.sided",
  conf.level = 0.95
)
```

Arguments

- `num_failures` Number of failures.
- `num_successes` Number of successes.
- `p` Hypothesized probability of success.
- `alternative` a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less".
- `conf.level` confidence level of the likelihood interval.

Value

An S3 class containing the test statistic, p value, likelihood based confidence interval, and alternative hypothesis.

Source

- https://en.wikipedia.org/wiki/Likelihood-ratio_test
- Yudi Pawitan. In All Likelihood. Oxford University Press.
- Hogg, McKean, and Craig. Introduction to Mathematical Statistics. Pearson.

Examples

```
library(LRTesteR)

# Null is true. 48 failures before 52 successes.
negative_binomial_p_one_sample(48, 52, .50, "two.sided")

# Null is false. 25 failures before 75 successes.
negative_binomial_p_one_sample(25, 75, .50, "two.sided")
```

negative_binomial_p_one_way

Test the equality of p parameters of negative binomial distributions.

Description

Test the equality of p parameters of negative binomial distributions.

Usage

```
negative_binomial_p_one_way(
  num_failures,
  num_successes,
  fctr,
  conf.level = 0.95
)
```

Arguments

num_failures	a numeric vector indicating number of failures per group.
num_successes	a numeric vector indicating number of successes per group.
fctr	a factor vector indicating groups.
conf.level	overall confidence level of the likelihood intervals. Uses Bonferroni correction.

Value

An S3 class containing the test statistic, p value, list of likelihood based confidence intervals, overall confidence level, individual confidence level of each interval and alternative hypothesis.

Source

- https://en.wikipedia.org/wiki/Likelihood-ratio_test
- Yudi Pawitan. In All Likelihood. Oxford University Press.
- Hogg, McKean, and Craig. Introduction to Mathematical Statistics. Pearson.

Examples

```
library(LRTesteR)

# Null is true.
set.seed(1)
num_failures <- rnbinom(3, 50, .5)
num_successes <- rep(50, length(num_failures))
fctr <- factor(1:length(num_failures))
negative_binomial_p_one_way(num_failures, num_successes, fctr, .95)

# Null is false
set.seed(1)
num_failures <- rnbinom(3, 50, c(.25, .50, .75))
num_successes <- rep(50, length(num_failures))
fctr <- factor(1:length(num_failures))
negative_binomial_p_one_way(num_failures, num_successes, fctr, .95)
```

poisson_lambda_one_sample

Test the lambda parameter of a poisson distribution.

Description

Test the lambda parameter of a poisson distribution.

Usage

```
poisson_lambda_one_sample(
  x,
  lambda,
  alternative = "two.sided",
  conf.level = 0.95
)
```

Arguments

x	a numeric vector of at least 50 data values.
lambda	a number indicating the tested value of lambda
alternative	a character string specifying the alternative hypothesis, must be one of "two.sided" (default), "greater" or "less".
conf.level	confidence level of the likelihood interval.

Value

An S3 class containing the test statistic, p value, likelihood based confidence interval, and alternative hypothesis.

Source

- https://en.wikipedia.org/wiki/Likelihood-ratio_test
- Yudi Pawitan. In All Likelihood. Oxford University Press.
- Hogg, McKean, and Craig. Introduction to Mathematical Statistics. Pearson.

Examples

```
library(LRTesteR)

# Null is true
set.seed(1)
x <- rpois(100, 1)
poisson_lambda_one_sample(x, 1, "two.sided")

# Null is false
set.seed(1)
x <- rpois(100, 2)
poisson_lambda_one_sample(x, 1, "greater")
```

poisson_lambda_one_way

Test the equality of lambda parameters of poisson distributions.

Description

Test the equality of lambda parameters of poisson distributions.

Usage

```
poisson_lambda_one_way(x, fctr, conf.level = 0.95)
```

Arguments

- | | |
|------------|---|
| x | a numeric vector of at least 50 data values per group. |
| fctr | a factor vector indicating groups. |
| conf.level | overall confidence level of the likelihood intervals. Uses Bonferroni correction. |

Details

- All lambdas are equal. ($\lambda_1 = \lambda_2 \dots \lambda_k$).
- Alternative: At least one lambda is not equal.

Value

An S3 class containing the test statistic, p value, list of likelihood based confidence intervals, overall confidence level, individual confidence level of each interval and alternative hypothesis.

Source

- https://en.wikipedia.org/wiki/Likelihood-ratio_test
- Yudi Pawitan. In All Likelihood. Oxford University Press.
- Hogg, McKean, and Craig. Introduction to Mathematical Statistics. Pearson.

Examples

```
library(LRTesteR)

# Null is true
set.seed(1)
x <- rpois(150, 1)
fctr <- c(rep(1, 50), rep(2, 50), rep(3, 50))
fctr <- factor(fctr, levels = c("1", "2", "3"))
poisson_lambda_one_way(x, fctr, .95)

# Null is false
set.seed(1)
x <- c(rpois(50, 1), rpois(50, 2), rpois(50, 3))
fctr <- c(rep(1, 50), rep(2, 50), rep(3, 50))
fctr <- factor(fctr, levels = c("1", "2", "3"))
poisson_lambda_one_way(x, fctr, .95)
```

print.lrtest*Print results of tests.***Description**

Print results of tests.

Usage

```
## S3 method for class 'lrtest'
print(x, ...)
```

Arguments

- | | |
|------------------|------------------------------------|
| <code>x</code> | a test from LRTesteR. |
| <code>...</code> | arguments passed to other methods. |

Examples

```
library(LRTesteR)

set.seed(1)
x <- rnorm(100, 0, 1)
test <- gaussian_mu_one_sample(x, 0, "two.sided")
print(test)

set.seed(1)
x <- rnorm(150, 1, 1)
fctr <- c(rep(1, 50), rep(2, 50), rep(3, 50))
fctr <- factor(fctr, levels = c("1", "2", "3"))
test <- gaussian_mu_one_way(x, fctr, .95)
print(test)
```

Index

beta_shape1_one_sample, 2
beta_shape1_one_way, 3
beta_shape2_one_sample, 4
beta_shape2_one_way, 5
binomial_p_one_sample, 6
binomial_p_one_way, 7

cauchy_location_one_sample, 8
cauchy_location_one_way, 9
cauchy_scale_one_sample, 10
cauchy_scale_one_way, 11

empirical_mu_one_sample, 12
empirical_mu_one_way, 13
empirical_quantile_one_sample, 14
empirical_quantile_one_way, 15
exponential_rate_one_sample, 16
exponential_rate_one_way, 17

gamma_rate_one_sample, 18
gamma_rate_one_way, 19
gamma_scale_one_sample, 20
gamma_scale_one_way, 21
gamma_shape_one_sample, 22
gamma_shape_one_way, 23
gaussian_mu_one_sample, 24
gaussian_mu_one_way, 25
gaussian_variance_one_sample, 26
gaussian_variance_one_way, 28

inverse_gaussian_dispersion_one_sample,
 29
inverse_gaussian_dispersion_one_way,
 30
inverse_gaussian_mu_one_sample, 31
inverse_gaussian_mu_one_way, 32
inverse_gaussian_shape_one_sample, 34
inverse_gaussian_shape_one_way, 35

negative_binomial_p_one_sample, 36
negative_binomial_p_one_way, 37